	Hits	Search Text	DBs
1	1	fenc$3 same quiesc$5 same ((re$1calibrat$5 or synchroniz$6) with clock)	US-PGPUB; USPAT
2	8	fenc$3 same ((re$1calibrat$5 or synchroniz$6) with clock)	US-PGPUB; USPAT
3	48	quiesc$5 same ((re$1calibrat$5 or synchroniz$6) with clock)	US-PGPUB; USPAT
4	220	fenc$3 and ((re$1calibrat$5 or synchroniz$6) with clock)	US-PGPUB; USPAT
5	3	fenc$3 and ((re$1calibrat$5 or synchroniz$6) with clock) and smp	US-PGPUB; USPAT
6	238	((re$1calibrat$5 or synchroniz$6) with clock) and smp	US-PGPUB; USPAT
7	2	(((re$1calibrat$5 or synchroniz$6) with clock) same idl$3) and smp	US-PGPUB; USPAT
8	17	(fenc$3 same idl$3) and ((re$1calibrat$5 or synchroniz$6) with clock)	US-PGPUB; USPAT
9	20	(fenc$3 same (idl$3 or halt$3)) and ((re$1calibrat$5 or synchroniz$6) with clock)	US-PGPUB; USPAT
10	1	fenc$3 same quiesc$5 same ((re$1calibrat$5 or synchroniz$6))	US-PGPUB; USPAT
11	2	(fenc$3 same ((re$1calibrat$5 or synchroniz$6))) and smp	US-PGPUB; USPAT
12	147	(fenc$3 same ((re$1calibrat$5 or synchroniz$6)))	US-PGPUB; USPAT
13	9	(fenc$3 same ((re$1calibrat$5 or synchroniz$6) same clock))	US-PGPUB; USPAT
14	146	(((halt$3 or stop$5) near3 (interface or input)) same ((re$1calibrat$5 or $3synchroniz$6) with clock))	US-PGPUB; USPAT
15	69	(((halt$3 or stop$5) near3 (interface or input)) with ((re$1calibrat$5 or $3synchroniz$6) with clock))	US-PGPUB; USPAT
16	439838	(sleep$3 or suspend$3 or hibernat$5 or (power adj (mode or state)) with ((re$1calibrat$5 or $3synchroniz$6) with clock))	US-PGPUB; USPAT
17	3867	(sleep$3 or suspend$3 or hibernat$5 or (power adj (mode or state)) with ((re$1calibrat$5 or $3synchroniz$6) with clock)) with processor	US-PGPUB; USPAT

	Hits	Search Text	DBs
18	3190	(sleep$3 or suspend$3 or hibernat$5 or (power adj (mode or state)) with ((re$1calibrat$5 or $3synchroniz$6) with clock)) and "713"/$3	US-PGPUB; USPAT
19	3185	(sleep$3 or suspend$3 or hibernat$5 or (power adj (mode or state)) with processor with ((re$1calibrat$5 or $3synchroniz$6) with clock)) and "713"/$3	US-PGPUB; USPAT
20	8	((sleep$3 or suspend$3) with processor with ((re$1calibrat$5 or $3synchroniz$6) with clock)) and "713"/$3	US-PGPUB; USPAT
21	3185	(sleep$3 or suspend$3 or hibernat$5 or (power adj (mode or state)) with processor with ((re$1calibrat$5) with clock)) and "713"/$3	US-PGPUB; USPAT
22	347	(sleep$3 or suspend$3 or hibernat$5 or (power adj (mode or state)) with processor with ((re$1calibrat$5) with clock)) and 713/5$3	US-PGPUB; USPAT
23	150	(sleep$3 or suspend$3 or hibernat$5 or (power adj (mode or state)) with processor with ((re$1calibrat$5) with clock)) and 713/4$3	US-PGPUB; USPAT
24	2	(((sleep$3 or suspend$3) near3 processor) with ((re$1calibrat$5) with clock))	US-PGPUB; USPAT
25	9	((sleep$3 or suspend$3 or hibernat$5 or (power adj (mode or state)) near3 processor) with ((re$1calibrat$5) with clock))	US-PGPUB; USPAT
26	9	((sleep$3 or suspend$3 or hibernat$5) with ((re$1calibrat$5) with clock))	US-PGPUB; USPAT
27	0	((sleep$3 or suspend$3 or hibernat$5) with processor with ((re$1calibrat$5) with clock)) and 713/4$3	US-PGPUB; USPAT
28	0	((sleep$3 or suspend$3 or hibernat$5) with processor with ((re$1calibrat$5) with clock)) and 713/5$3	US-PGPUB; USPAT

	Hits	Search Text	DBs
29	3	((sleep$3 or suspend$3 or hibernat$5) with processor with ((re$1calibrat$5 or $3synchroniz$6) with clock)) and 713/4$3	US-PGPUB; USPAT
30	1	((sleep$3 or suspend$3 or hibernat$5) with processor with ((re$1calibrat$5 or $3synchroniz$6) with clock)) and 713/5$3	US-PGPUB; USPAT
31	0	((sleep$3 or suspend$3 or hibernat$5) with processor with ((adjust$5) with clock)) and (713/4$3 or 713/5$3)	US-PGPUB; USPAT
32	10	((sleep$3 or suspend$3 or hibernat$5) with processor with ((adjust$5) with clock))	US-PGPUB; USPAT
33	15	((sleep$3 or suspend$3 or hibernat$5) with processor with ((chang$3) with clock))	US-PGPUB; USPAT
34	4	((sleep$3 or suspend$3 or hibernat$5) with processor with ((re$1calibrat$5 or $3synchroniz$6))) and (713/4$3 or 713/5$3)	US-PGPUB; USPAT
35	238	(((re$1calibrat$5 or $3synchroniz$6) with clock)) and smp	US-PGPUB; USPAT
36	37	(processor with ((re$1calibrat$5 or $3synchroniz$6) with clock)) and smp	US-PGPUB; USPAT
37	545	(state adj machine) with ((re$1calibrat$5 or $3synchroniz$6) with clock)	US-PGPUB; USPAT
38	0	(state adj machine) with ((re$1calibrat$5) with clock)	US-PGPUB; USPAT
39	0	(state adj machine) same ((re$1calibrat$5) with clock)	US-PGPUB; USPAT
40	13	(state adj machine) and ((re$1calibrat$5) with clock)	US-PGPUB; USPAT
41	5	smp and (clock with $3calibrat$5)	US-PGPUB; USPAT
42	2176	quiesc$5 same $3configur$6	US-PGPUB; USPAT
43	738	quiesc$5 with $3configur$6	US-PGPUB; USPAT
44	1	quiesc$5 same $3configur$6 same fenc$5	US-PGPUB; USPAT
45	16	quiesc$5 with $3configur$6 with processor	US-PGPUB; USPAT
46	30	(quiesc$5 with processor) same $3configur$6	US-PGPUB; USPAT

	Hits	Search Text	DBs
47	5	(quiesc$5 with processor) same ((sync$8 or chang$5 or adjust$5 re$1set$5) with clock)	US-PGPUB; USPAT
48	148	(halt$5 with processor) same ((sync$8 or chang$5 or adjust$5 re$1set$5) with clock)	US-PGPUB; USPAT
49	65	((halt$5 or stop$5 or prevent$4) with (input or interface) with processor) same ((sync$8 or chang$5 or adjust$5 re$1set$5) with clock)	US-PGPUB; USPAT
50	15	(test with pattern) same (state adj machine) same ((sync$8 or chang$5 or adjust$5 re$1set$5) with clock)	US-PGPUB; USPAT
51	7	"5742650"	US-PGPUB; USPAT
52	2	quiesc$5 same ((re$1calibrat$5 or synchroniz$6) with clock)	EPO; JPO
53	25	(((halt$3 or stop$5) near3 (interface or input)) with ((re$1calibrat$5 or $3synchroniz$6) with clock))	EPO; JPO
54	1	(quiesc$5 with processor) same $3configur$6	EPO; JPO
55	7	((halt$5 or stop$5 or prevent$4) with (input or interface) with processor) same ((sync$8 or chang$5 or adjust$5 re$1set$5) with clock)	EPO; JPO
56	0	(test with pattern) same (state adj machine) same ((sync$8 or chang$5 or adjust$5 re$1set$5) with clock)	EPO; JPO
57	4	smp and (bus with $3calibrat$5)	US-PGPUB; USPAT
58	5	smp with quiesc$5	US-PGPUB; USPAT
59	9	smp with ((sleep or power) adj (mode or state))	US-PGPUB; USPAT
60	15	smp same ((sleep or power) adj (mode or state))	US-PGPUB; USPAT
61	14	smp same quiesc$5	US-PGPUB; USPAT
62	2	smp and (bus with fenc$3)	US-PGPUB; USPAT
63	1741	smp and (bus with interfac$3)	US-PGPUB; USPAT
64	40	smp and (fenc$3)	US-PGPUB; USPAT
65	2	smp and (fenc$3 same sync$9)	US-PGPUB; USPAT
66	3	smp and (fenc$3 same sync$11)	US-PGPUB; USPAT
67	1	smp and (fenc$3 same (calibrat$6 or recalibrat$6))	US-PGPUB; USPAT
68	107	smp and (bus with disabl$3)	US-PGPUB; USPAT

	Hits	Search Text	DBs
69	4	smp and (disabl$3 same (calibrat$6 or recalibrat$6))	US-PGPUB; USPAT
70	100	smp and (disabl$3 same sync$11)	US-PGPUB; USPAT
71	42	smp and (disabl$3 same sync$11 same (bus or interface))	US-PGPUB; USPAT
72	82	smp and (disabl$3 with interface)	US-PGPUB; USPAT
73	1	smp same (de$1skew$5)	US-PGPUB; USPAT
74	19	smp same (skew$5)	US-PGPUB; USPAT
75	0	smp same (skew$5)	EPO; JPO
76	0	smp same (de$1skew$5)	EPO; JPO